

**AUTOMATSKA  
DIZALICA**

**AF-32 Super**



**FERING**

Bosna i Hercegovina

telefon: +387(0)35 704 950

tel/fax: +387(0)35 704 952

e-mail: [info@fering.com.ba](mailto:info@fering.com.ba)

web: [www.fering.com.ba](http://www.fering.com.ba)



# AUTOMATSKA DIZALICA

## AF-32 Super



# FERING


Bosna i Hercegovina

telefon: +387(0)35 704 950


tel/fax: +387(0)35 704 952

e-mail: info@fering.com.ba

web: www.fering.com.ba



BETON 99x99x25 CM  
NA PODLOGU NOSIVOSTI 2KG/CM2



|    |                |         |
|----|----------------|---------|
| F1 | ● KG 19000     | ■ 11300 |
|    | HG 12000/19000 |         |
|    | KG 15000       |         |

- U RADU
- IZVAN RADA
- TEŽINA BEZ I SA OSNOVNIM BALASTOM
- DODATNI BALAST

# AUTOMATSKA DIZALICA

## AF-32 Super



# FERING

Bosna i Hercegovina  
telefon: +387(0)35 704 950  
tel/fax: +387(0)35 704 952  
e-mail: info@fering.com.ba  
web: www.fering.com.ba




## MEHANIZAM

|  | KW  | M/1'    |  | KW | M/1'   | KG   |
|--|-----|---------|--|----|--------|------|
|  | 4/3 | 20/40   |  |    | I 5    | 2500 |
|  | 2,2 | 0 - 0,9 |  |    | II 20  | 2500 |
|  |     |         |  |    | III 40 | 1000 |
|  |     |         |  |    | I 2,5  | 4000 |
|  | 2,2 | 2       |  |    | II 10  | 4000 |
|  |     |         |  |    | III 20 | 2000 |

|                   |               |                       |               |
|-------------------|---------------|-----------------------|---------------|
| NAPAJANJE         | V 380 / 50 HZ | TASTATURA             | ♦             |
| VLASTITI PODVOZI  |               | HIDRAULIČKA MONTAŽA   | BAR 110 280 ▶ |
| INSTALISANA SNAGA | KW 18         | OSNOVNI BALAST        | ~ KG 7000     |
| ZAKOŠENA RUKA     |               | DODATNI BALAST        | ~ KG 15000 ♦  |
| NOSAČ BALASTA     | ♦             | POCINČANI STUB I RUKA |               |

NA UPIT ♦

## TRANSPORT



## OSNOVNI PODACI

Dizalica AF 32 Super je posljednja generacija sa rotacijom u donjem dijelu i hidrauličnom odnosno automatskom montažom.

Koristi se za rekonstrukciju, izgradnju objekata do 6 spratova a može se koristiti i kao servisna dizalica na gradilištima.

Montaža je jednostavna i traje 11 minuta.

Moguće je transportovanje sa samo jednim prevoznim sredstvom bez demontaže bilo kojeg dijela dizalice.

Zahvaljujući novim tehnološkim rješenjima, pažljivim konstruisanjem bez uštede, najnoviji je i najbolji proizvod ovog tipa dizalice.


# AF-32 Super



**Bosna i Hercegovina**  
telefon: +387(0)35 704 950  
tel/fax: +387(0)35 704 952  
e-mail: [info@fering.com.ba](mailto:info@fering.com.ba)  
web: [www.fering.com.ba](http://www.fering.com.ba)



## DIAGRAM NOSIVOSTI



## DIAGRAM MONTAŽE

